

MAKING EVERY DROP COUNT

GLOBAL SOLUTIONS FOR THE LUBRICATION & REFUELLING MARKETS



GENERAL RANGE CATALOGUE 2020



TABLE OF CONTENTS

OIL EQUIPMENT & ACCESSORIES	3-8
ULTRAFLO Hand Operated Oil Pumps	4
ULTRAFLO Spring Operated Oil Pumps	4
ULTRAFLO Lever Action Oil Drum Pumps	4
ULTRAFLO Standard Rotary Barrel Pumps	4
ULTRAFLO Heavy Duty Rotary Barrel Pumps	4
EZI-Action Drum Pumps	5
Level Gauge	5
Oil Distribution Kits	5
Oil Hose Reels	5
Metered Oil Control Guns	5-6
Oil Transfer Accessories	6-7
Waste Oil Drainers	7
Waste Oil Accessories	7

GREASE EQUIPMENT & ACCESSORIES	9-14
Hand Operated Grease Gun	10
Hand & Air Operated Grease Guns	10
Battery Operated Grease Gun	11
Hand Operated Bucket Grease Pumps	11
Air Operated Grease Pump Kit	11
Grease Gun Accessories	12-14
Hose Reels	14
Grease Gun & Swivel	14

DIESEL EQUIPMENT & ACCESSORIES	15-19
Hand Operated Diesel Transfer Pumps	16
Electrically Operated 12/24V Diesel	16
Transfer Pumps	16
Hose Reels	16
Diesel Flow Meters	17
Fuel Nozzles	17
Fuel Tank Fittings & Accessories	17
Bowers	18
Diesel Driven Pump	18
Filters	18
Diesel Poly Tanks	18

ADBLUE EQUIPMENT & ACCESSORIES	20-22
Rotary Drum Pump	21
Gravity Feed Kit	21
Pumps	21
Nozzles	22
Meter	22
Accessories	22
Poly Tanks	22

AIR AND WATER EQUIPMENT	23-24
Mini Sprayers	24
Rotary Pumps	24
Water Valve	24
Hose Reel	24

WORKSHOP EQUIPMENT	25-27
Trolleys	26
Dollies	26
Spill Pallets	26
Liquid Adhesive	27
Drum Wrench	27
Drum Cradle	27
Oil and Fuel Pads	27
Oil Absorbent	27

DISCLAIMER: Although every care is taken to ensure accuracy and completeness in compiling this data, no liability can be accepted by Aflo Equipment Pty Ltd for damage or loss caused by any errors or omissions in the information given, either directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from Aflo Equipment Pty Ltd. E & O E.

MAKING EVERY DROP COUNT

A-FLO
EQUIPMENT

OIL EQUIPMENT & ACCESSORIES



ULTRAFLO Hand Operated 20L Oil Pumps

- Easy Downstroke Displacement
- High Quality Components to ensure smooth pump action
- Telescopic Extension
- Ideal pump for the transfer of engine, gear, diff and hydraulic oils



AP-1335 20L Oil Pump without Hose

AP-1336B 20L Oil Pump with Hose

AP-1338 20L ATF Pump with Hose

ULTRAFLO Hand Operated 60L Oil Pumps

- Easy Downstroke Displacement
- High Quality Components to ensure smooth pump action
- Telescopic Extension
- Ideal pump for the transfer of engine, gear, diff and hydraulic oils



AP-1324 60L Oil Pump without Hose

AP-1325 60L Oil Pump with Hose

AP-1328 60L ATF Pump with Hose

ULTRAFLO Spring Operated Oil Pumps

- Spring Operated Pump with Lever Action Oil Control Valve
- 1.5m of Anti Kink Hose
- Provides an Economical, Efficient solution for mechanics to perform oil changes rapidly



AP-520H ULTRAFLO 20L Oil Pump with Hose

AP-560H ULTRAFLO 60L Oil Pump with Hose

ULTRAFLO Lever Action Oil Drum Pump

- Lightweight aluminium construction
- Approximately 3 strokes per litre
- Telescopic suction pipe
- 2" bung thread
- Suitable for 60L or 205L drums



AP-1316 Standard 60-205L Lever Action Oil Pump

ULTRAFLO Standard Rotary Barrel Pumps

- Solid cast iron construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" Bung Adaptor
- Suitable for most motor oils & diesel
- Not recommended for petrol or gear oil



AP-2220 205L Rotary Oil Pump

AP-2220H 205L Rotary Oil Pump, Hose, Nozzle

ULTRAFLO Heavy Duty Rotary Barrel Pumps

- Solid aluminium construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adapter
- Suitable for petrol, diesel & motor oils



AP-1321 HD 205L Rotary Oil Pump

AP-1321H HD 205L Rotary Oil Pump, Hose, Nozzle

EZI- Action Drum Pumps

- Output per stroke 20L 160ml
- Output per stroke 205L 400ml
- Delivers on the up and down stroke
- Superior chemical resistance and anticorrosion technology
- The only serviceable hand pump in the world, which acts to extend its lifespan



EZ-25/5 Ezi-Action 25L Drum Pump

EZ-205/550 Ezi-Action 205L Drum Pump

ULTRAFLO Oil Drum Level Gauge

- Unique mechanical measuring gauge showing the fluid level in a 205L Drum
- Fits the standard 3/4" bung opening
- Suitable for oil, diesel, petrol, water, coolant, ATF, waste oil & some chemicals
- Allows for easy and simple stock keeping
- Made in Europe



FG-205 205L Drum Level Gauge

AFLO 205L Oil Distribution Kits

- RAASM 3:1 or 5:1 Ratio Drum Pump
- 4M Hose Kit
- Manual or Metered Oil Control Gun
- 10 Year Warranty



OA205K1 3:1 Manual Oil Distribution Kit

OA205K2 5:1 Manual Oil Distribution Kit

OA205K3 3:1 Metered Oil Distribution Kit

OA205K4 5:1 Metered Oil Distribution Kit

AFLO 205L Mobile Oil Distribution Kits

- Mobile Trolley Kit
- 3:1 or 5:1 Ratio Pump
- 4M x 1/2" Distribution Hose
- Manual or Metered Oil Control Gun
- Please note: 205L drum not included



OAMTK1 3:1 Mobile Trolley Kit Manual Gun

OAMTK2 5:1 Mobile Trolley Kit Manual Gun

OAMTK3 3:1 Mobile Trolley Kit Metered Gun

OAMTK4 5:1 Mobile Trolley Kit Metered Gun

RAASM 430 Series Oil Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6M Connection Hose
- 1/2" BSP (f) inlet & 1/2" BSP (m) outlet connection
- Pressure Rating: 150Bar
- Ideal for workshop installations



RA-8430.401 Oil Reel 10M x 1/2" ID Hose

RA-8430.402 Oil Reel 15M x 1/2" ID Hose

RAASM Manual Oil Dispense

- Aluminum and cast alloy control valves for engine and gear oils including a high flow non drip nozzle
- Max. operating pressure: 1500PSI
- 1/2" BSP (f) swivel
- Flow Rates: up to 30L/Min



RA-38022 RAASM Standard Manual Oil Gun

ULTRAFLO Metered Oil Control Gun

- 1-30L/Min
- 1/2" BSP (f) Swivel
- ±0.5% Accuracy
- AAA Battery Powered
- Manufactured in Germany
- Totaliser and resettable total
- Flexible outlet



A-102111B

Digital Metered Gun, Flexible Outlet

ULTRAFLO Preset Electronic Meter

- Pre-select: up to 999L
- Two programmable pre-set volumes
- Large easy to read display
- Accuracy: 0.5%
- Flow Rate: 1-30L/Min
- 1/2" BSP (f) inlet
- Flexible outlet



A-102109B

Electronic Preset Meter, Flexible Outlet

ULTRAFLO Multi-Purpose Bottle Pump

- 1L capacity, 500mm long PVC hose & spout
- Ideal for topping up difficult to access oiling points in the workshop or garage
- Self-contained preventing oil contamination whilst not in use
- Applications: agricultural, earthmoving, industrial, mining, transport, workshops & service garages



AP-8100

1L Multi-Purpose Bottle Pump

ULTRAFLO Oil Bottles

- Available in 1L Multi-Purpose Oil Bottles
- Re-usable oil bottle provides environmentally friendly means of dispensing oil
- Non-breakable impact resistant materials
- Weights and measures approved
- Comes with pourer and cap or can be purchased separately
- Available in Red, Black and Green



OB-1000-BLK

Black 1L Multipurpose Oil Bottle

OB-1000-RED

Red 1L Multipurpose Oil Bottle

OB-1000-GRE

Green 1L Multipurpose Oil Bottle

ULTRAFLO Oil Measuring Jugs

- Plastic measuring jug
- Flexible delivery spout
- Hinged protection lid
- Makes topping up of fluids easy & convenient



AP-2348

1 Litre Measuring Bottle

AP-3348

2 Litre Measuring Bottle

AP-4348

3 Litre Measuring Bottle

AP-5348

5 Litre Measuring Bottle

OILSAFE 5L Drum with Stumpy Spout

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 5L Oilsafe Drum, Stumpy Spout
- Ten colours available



OS-101005S-O

5L Oil Jug w/ Orange Stumpy Spout

OS-101005S-P

5L Oil Jug w/ Purple Stumpy Spout

OS-101005S-R

5L Oil Jug w/ Red Stumpy Spout

OS-101005S-Y

5L Oil Jug w/ Yellow Stumpy Spout



OIL EQUIPMENT & ACCESSORIES

ULTRAFLO Multi-Purpose Funnel



- AP-7238** 1.3L Polyethylene Funnel - 160mm
- AP-8238** 2.0L Polyethylene Funnel - 195mm
- AP-9238** 3.0L Polyethylene Funnel - 235mm
- AP-0238** 3.2L Polyethylene Funnel - 250mm

ULTRAFLO Garage Funnel



- 4.0L Funnel
- Polyethylene
- Chemical and Oil Resistant

AP-5338 4.0L Garage Funnel

ULTRAFLO Manual Oil Suction Gun

- 500cc capacity
- Ideal for the draining and filling of diffs, gear boxes & engine blocks
- 2 Year Warranty



AP-5010 AP-5010 Manual Oil Suction Gun - 500cc

ULTRAFLO Manual Waste Oil Extractor

- 6.5L capacity
- Supplied with 3 suction probes (5.9mm, 6.9mm & 9.9mm OD)
- Simple hand pump creates suction to extract the fluid



AP-MW0E6.5 6.5L Manual Waste Oil Extractor

RAASM Mobile Waste Oil Drainer

- Anti-splash screen filter
- Removable tool tray
- Available in 65L, 90L capacity
- Drain bowl capacity of 15L
- Level Indicator with scale in litres and gallons



RA-42065 65L Mobile Waste Oil Drainer

RA-42090 90L Mobile Waste Oil Drainer

ULTRAFLO Low Level Drainer

- Wheel mounted floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters
- Ideal for a busy workshop environment



AP-5427 Standard 68L Low Level Drainer

AP-6427 Standard 95L Low Level Drainer

MAKING EVERY DROP COUNT



OILSAFE EQUIPMENT

AVAILABLE IN

Beige, black, blue, dark green, grey, green, orange, purple, red & yellow



ENCOURAGES

- Clean
- Organised
- Safe
- Efficient
- Reliable Practices

ELIMINATES

- Filthy
- Disorganised
- Unsafe
- Waste fill
- Destructive practices



OILSAFE Stumpy Spout Lid



OS-100509

OILSAFE Stretch Spout Lid



OS-100309

OILSAFE Mini Spout Lid



OS-100409

OILSAFE Storage Lid



OS-100109

OILSAFE Drums



OS-101002 2L

OS-101003 3L

OS-101005 5L

OS-101010 10L



OILSAFE Premium Pump (Black)

OS-102308

OILSAFE Stretch Extensions



OS-102020

OS-102021

OILSAFE Utility Lid



OS-100209

OILSAFE 5L STUMPY DRUM KIT

- 5L OILSAFE drum
- Stumpy spout lid
- Available in 10 colours



OS-100509 + OS-101005

OILSAFE OIL PUMP KIT

- 10L OILSAFE drum
- Utility lid
- Standard pump
- Available in 10 colours



OS-100208, OS-101010 & AP-1336

MAKING EVERY DROP COUNT

GREASE EQUIPMENT & ACCESSORIES

A-FLO
EQUIPMENT



ULTRAFLO Standard Duty Lever Action Grease Gun

- Complete with a rigid outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI



AP-1142-450 Standard Lever Action Grease Gun - 450g

ULTRAFLO Standard Duty Pistol Grip Grease Gun

- Complete with a 300mm flexible outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI



AP-1152-450 Standard Pistol Grip Grease Gun - 450g

ULTRAFLO Heavy Duty Lever Action Grease Gun

- Professional grease gun for industrial applications
- Develops 10,000 PSI/690 Bar
- Robust Aluminum die cast grease gun head and filler
- Rigid Outlet with pro 4 jaw coupler



UF-L450 HD Lever Action Grease Gun - 450g

ULTRAFLO Heavy Duty Variable Pistol Grip Grease Gun

- Ergonomic one hand grease gun
- Unique variable stroke for both high pressure and high volume applications
- Complete with 300mm flexible outlet & pro 4 jaw coupler
- Develop grease pressures up to 8000PSI



UF-P450 HD Variable Pistol Grip Grease Gun - 450g

ULTRAFLO Speedy Grease Gun

- Operating pressure: up to 800bar (11,200 PSI)
- 2.5cc of grease per stroke
- Fitted with 60kg magnet
- 800mm flexible hose extension with grease coupler



SGS-450 Speedy Grease Gun 450g

ULTRAFLO Air Operated Grease Gun

- High pressure delivery performance of up to 3800PSI
- Continuous grease flow operation
- Complete with rigid outlet & 4 jaw coupler



AP-1161 450g Air Operated Grease Gun

ULTRAFLO Battery Operated Grease Guns

- 18V Cordless Grease Gun
- 2 x lithium ion battery
- Complete with robust carry case
- Max. Operating Pressure: 10000PSI



AP-4349LI-2

18V 450g Electric Grease Kit - Lithium Ion

ULTRAFLO Hand Operated Bucket Grease Pumps

- Robust construction
- Complete with universal follower plate
- Easy to use grease filling solution to load bulk or combination grease guns



UF-GFP-20

20Kg Hand Operated Bucket Pump

ULTRAFLO 2.5kg Mini Hand Operated Grease Pump

- Foot operated spring plunger
- 3M of high pressure hose & hand piece for high pressure and high volume applications
- Delivers up to 10,000PSI



AP-2290

2.5Kg Mini Grease Pump Kit

ULTRAFLO 20kg Handle Grease Kit

- Spring operated plunger
- 3M of high pressure hose & hand piece for high pressure and high volume applications
- Delivers up to 10,000PSI



AP-3290

20Kg T Handle Grease Pump Kit

ULTRAFLO 20KG Air Operated Grease Pump Kit

- Your cost effective and dependable solution to easier greasing of plant and equipment
- The ULTRAFLO Kit is in for the long haul and will withstand all you throw at it plus it is sure to meet your budget
- 58:1 Ratio High Pressure Pump
- Kit complete with pump, follower plate, drum cover, 4M hose and grease gun with Z swivel



AE-KP7247PZ

58:1 Ratio - 20Kg Grease Kit

ULTRAFLO 180KG Air Operated Grease Pump Kit

- Your cost effective and dependable solution to easier greasing of plant and equipment
- The ULTRAFLO Kit is in for the long haul and will withstand all you throw at it plus it is sure to meet your budget
- 58:1 Ratio High Pressure Pump
- Kit complete with pump, follower plate, drum cover, 4M hose and grease gun with Z swivel



AE-KP7294SCZ

58:1 Ratio - 180Kg Grease Kit



GREASE EQUIPMENT & ACCESSORIES

ULTRAFLO A-Coupler

- Quick connect & disconnect
- Clean –exclusive ball lock system
- Strong – precision machined parts to make these the most durable coupler available
- Compact – not much bigger than a standard coupler



ULTRAFLO A-Valve

- Pressure Relief Valve
- Suitable up to 10,000psi
- Universal Fits All Grease Guns
- Eliminate Risk of Breaking Grease Nipples



UC-3102

A-Coupler Grease Coupler

UC-3105

A-Valve Grease Gun Relief Valve

ULTRAFLO Grease Gun Coupler

- Hardened body that withstands high pressure without deformation
- Hexagonal nut for easy tightening
- 4 jaw coupler with 1/8" BSP
- Easy on and off long life coupler



ULTRAFLO Flexible Grease Gun Extensions

- Quality German construction
- Suitable for hand or air operated equipment
- Working Pressure: 5800PSI
- Burst Pressure: 13,750PSI



UF-HC4J

Heavy Duty 4 Jaw Grease Coupler

UF-GH300

300mm Heavy Duty Grease Gun Extension

UF-GH450

450mm Heavy Duty Grease Gun Extension

ULTRAFLO Grease Fitting Thread Tester

- Easily identify thread patterns for all common standard, British, and Metric grease fittings
- Made of aluminium.



ULTRAFLO Grease Nipple Assorted Kits

- Refillable compartmentalized carry kit
- Available in kits suited to agricultural, industrial, metric, automotive & stainless steel applications



GR-305016

Grease Fitting Tool

UF-4674

Agricultural Grease Nipple Kit 120Pcs

UF-4675

Imperial Grease Nipple Kit 110Pcs

UF-4676

Metric Grease Nipple Kit 110Pcs



GREASE EQUIPMENT & ACCESSORIES

ULTRAFLO Imperial Straight Grease Nipples Packs

- 10 Grease Nipples Per Pack



ULTRAFLO Imperial 45 & 90 degree Grease Nipples Packs

- 10 Grease Nipples Per Pack



UF-L29	1/8" BSP Straight Grease Nipple
UF-L28	1/8" NPT Straight Nipple
UF-L48	1/4" BSP Straight Grease Nipple
UF-AL185	1/4" UNF Straight Grease

UF-LA34	1/8" BSP 45 Degree Grease Nipple
UF-LA44	1/8" BSP 90 Degree Grease Nipple
UF-LA43	1/8" NPT 90 Degree Grease Nipple
UF-LA189	1/4" UNF 90 Degree Grease Nipple

ULTRAFLO Metric Straight Grease Nipples Packs

- 10 Grease Nipples Per Pack



ULTRAFLO Metric 45 & 90 degree Grease Nipples Packs

- 10 Grease Nipples Per Pack



UF-L161	6M x 1 Straight Grease Nipple
UF-L162	8M x 1 Straight Grease Nipple
UF-AL200	10M x 1 Straight Grease Nipple

UF-ALA168	6M x 1 45 Degree Grease Nipple
UF-ALA165	M6 x 1 90 Degree Grease Nipple

ULTRAFLO Swivel Coupler

- 360 Degree Swivel Coupler
- 1/8" BSP



ULTRAFLO Right Angle Coupler

- 90 Degree Right Angle Coupler
- 1/8" BSP



UF-360S	Swivel Coupler
---------	----------------

UF-RAGC013	Right Angle Coupler
------------	---------------------



GREASE EQUIPMENT & ACCESSORIES

ULTRAFLO Grease Injector Needle



UF-GIN01 Grease Injector Needle with Nipple

ULTRAFLO Needle Nose Dispenser



UF-NND013 Needle Nose Dispenser 1/8" BSP

UF-PNND05 Narrow Needle Nose Dispenser 1/8" BSP

RAASM 430 Series Grease Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6M Connection Hose
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure Rating: 8700PSI
- Ideal for workshop installations



RA-9430.501 RAASM 430 Series 12m x 1/4" ID Hose

RA-8430.502 RAASM 430 Series 18M x 1/4" ID Hose

RA-8430.506 RAASM 430 Series 15M x 3/8" ID Hose

RAASM 440 Series Grease Reels

- Unique smooth & trouble-free operation
- Equipped with 0.6M Connection Hose
- Bracket enables easy installation (option of swivel or fixed)
- In position, it can freely turn 55° right and left
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure Rating: 8700PSI
- Ideal for automotive and fleet workshops



RA-8440.501 RAASM 440 Series 12M x 1/4" ID Hose

RA-8440.502 RAASM 440 Series 18M x 1/4" ID Hose

RA-8440.506 RAASM 440 Series 15M x 3/8" ID Hose

Grease Gun & Z Swivel

- 1/4" BSP(f) inlet thread
- flexible extension
- Z Swivel
- 4 Jaw Coupler



RA-66889 RAASM Grease Gun

Z Swivel

- Triple swivel joint M/F
- M/F 1/4"
- Extends hose life
- Reduces operator fatigue



AE-S14Z RAASM Standard 1/4" BSP Z Swivel

MAKING EVERY DROP COUNT

A-FLO
EQUIPMENT

DIESEL EQUIPMENT & ACCESSORIES





DIESEL EQUIPMENT & ACCESSORIES

ULTRAFLO High Flow Rotary Drum Pump

- Flow Rate: up to 100L/Min
- Solid aluminium construction
- Steel suction pipe & foot strainer
- Ideal for fast efficient transfer of diesel fuel, petrol or kerosene
- Also suitable for oils up to SAE30
- Complete with 2.4M of hose, metal nozzle & holster
- 2" bung adapter



AP-1320

Hi-Flow Diesel Pump

AP-1320F

Hi-Flow Diesel Pump with 1" Filter

ULTRAFLO Refuelling Pumps

- Vane pump with motor
- By-pass valve incorporated into the pump body
- Duty Cycle: 30min
- Flow Rate: up to 50L/Min
- Noise level below 70dB
- 12V or 24V DC operation



FP-342000

12V Refuelling Pump Only

FP-347000

24V Refuelling Pump Only

ULTRAFLO Refuelling Pump Kits

- Vane pump with motor
- Self priming electric vane pump run by a 12V or 24V electric motor.
- Cast iron body
- Fixed brush motor with permanent magnet stator
- Suction capacity up to 2 meters
- Terminal board with switches and fuses to protect against overload
- 2M cables with clips for battery connection
- 4M fuel pipe (diameter 3/4")
- Aluminum manual or automatic shut-off nozzle & bottom suction filter



FP-22500C

12V Refuelling Pump kit

FP-22600C

24V Refuelling Pump kit

FP-22500C-A

12V Refuelling Pump kit & Auto Nozzle

FP-22600C-A

24V Refuelling Pump Kit & Auto Nozzle

ULTRAFLO Mechanical Flow Meter

- Suitable for diesel, kerosene and antifreeze
- 1" BSP(f) inlet and outlet
- Mechanical gear meter with $\pm 1.0\%$ accuracy
- Flow Rate: 20-120L/Min
- Suitable for gravity feed or pump applications
- 3 & 4 digit mechanical display



FP-553000

K33 3 Digit 1" Flow Meter

FP-563000

K44 4 Digit 1" Flow Meter

Inline Digital Meter

- An economical, reliable and versatile solution for metering fluids
- Turbine type meter reinforced with polyamide body
- 1" BSP inlet/outlet connections
- Max. Flow Rate: up to 120L/Min
- Display can be rotated to 4 different positions
- Battery powered with 2 replaceable AAA batteries
- Suitable for use with diesel fuel, kerosene & windscreen fluid



FP-407010A

K24 Inline Digital Flow Meter - 1"

RAASM 540 Series Diesel Hose Reels

- Dual pedestal, Spring rewind reel
- All metal construction
- Wall, floor, ceiling or tank mounting
- Suitable for diesel, air or water



RA-8540.601

Diesel Hose Reel 15M x 3/4" ID Hose

RA-8540.603

Diesel Hose Reel 15M x 1" ID Hose

RA-8540.610

Diesel Hose Reel 10M x 1" ID Hose



DIESEL EQUIPMENT & ACCESSORIES

FUELSHOT Manual Fuel Nozzles

- Flow Rates: up to 100L/Min
- Inlet 1" BSP(f) swivel
- Suitable for gravity feed systems
- Ideal for farm tank and smaller fuel dispensing applications



FS-ML2 Manual Diesel Nozzle with black cover

FS-MUL2 Manual Unleaded Nozzle with black cover

FUELSHOT Standard Automatic Nozzles

- Automatically shuts off nozzle
- Flow Rate: up to 60LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications



FS-AL60 3/4" Auto Diesel Nozzle - 60L/Min

FS-UL60 3/4" Auto Unleaded Nozzle - 60L/Min

FUELSHOT High Flow Truck Stop Automatic Nozzle

- Automatic shut off diesel nozzle
- For high flow transfer of up to 120L/Min
- Suitable for pump applications only
- Complete with 1" BSP(f) Swivel
- Ideal for high flow mobile pumps, truck bus or fleet operations



FS-AL120 1" Hi-Flow Truck Nozzle - 120L/Min

FUELSHOT Fuel Nozzle Swivels

- Compact aluminium and brass construction
- Viton/Buna - N Seals



FS-SP20X20 3/4" BSP (m) x 3/4" BSP (f) Swivel

FS-SP341 3/4" BSP (m) x 1" BSP (f) Swivel

FS-SP25X25 1" BSP (m) x 1" BSP (f) Swivel

FUELSHOT Dual Plane Swivel

- Provides a full 360 degree spherical rotation for free-movement facilitation flexibility to refuel vehicles from almost any direction
- Unique design to allow high flow rates



FS-DP34 3/4" BSP (m) x 3/4" BSP (f) Swivel

FS-DP11 1" BSP (m) x 1" BSP (f) Swivel

FUELSHOT Farm Tank Hose

- 25mm ID diesel, petrol & oil resistant diesel hose
- Kink resistant
- Max. Working Pressure: 145PSI
- Includes anti-static copper wire for increased safety
- Excellent UV resistant & flexibility
- Suitable for drum pumps & overhead tanks
- 20M coil length
- Made in Australia



RI-25FTH20-ASW FUELSHOT Farm Tank Hose -20M

**ULTRAFLO
Bowser**

- Your total refuelling solution in a box
- Built in nozzle holster with automatic pump stop
- 240V Self priming vane pump
- Flow rates 80LPM
- Includes 4m x 1" ID Delivery Hose, Automatic Nozzle
- Wall mount or optional pedestal available



E-AF3080

240V Bowser - 80LPM

**Diesel Fuel
Management Bowser**

- Flow Rate: up to 70L/Min
- Accuracy: +/- 0.5%
- Up to 50 users
- Continuous AC operation
- Software Kit
- 1 x Managers Keys & 10 x User Keys
- Optional Pedestal



FP-59400C

PIUSI FMS Bowser

**1" Diesel
Transfer Pump**

- Petrol powered
- 1.1 HP recoil start
- 4 stroke, mounting bracket & carry handle
- Max Head: 36M
- Max. Flow Rate: 130L/Min
- Weight: 5.5Kg



UF-AP/GX25

1" Honda Diesel Transfer Pump

**ULTRAFLO
Farm Tank Filtration**

- Economic fuel filters for use in gravity, hand, air or electrical pump applications
- Includes a 10 micron fuel filter, drain valve & replaceable bowl
- Rust & weather resistant
- 1" BSP inlet & outlet
- Max. Working Pressure: 10 Bar/150PSI



UF-FF25-1

ULTRAFLO 1" Fuel Filter

UF-FFE-10M

ULTRAFLO 10 Micron Filter

**ULTRAFLO Bulk Tank
Filtration Kit**

- The kit sets you up to protect your assets by ensuring every drop is filtered and your tank is protected from any moisture or condensation.
- Simple to maintain and service
- Ideal for static above ground, overhead or mobile tanks
- Removes 99.5% of contamination 10 Micron or larger
- Water absorption capacity - 1 filter holds up to two cans of water



DF-P902973

ULTRAFLO 1" Bulk Fuel Filter Kit

DF-P902974

ULTRAFLO 1 1/4" Bulk Fuel Filter Kit

**POLYCUBE
Poly Diesel Fuel Tanks**

- Premium 12V 35L/Min Pump, Battery Cable & Clips, 4M x 3/4" Diesel Delivery Hose & Auto Nozzle
- Built-in splash proof breather & lockable lid
- Ideal for back of utes or truck to improve efficiency in refuelling your equipment



FC-200LFA

200L POLYCUBE

FC-400LFA

400L POLYCUBE

FC-440LFA

440L POLYCUBE



ULTRAFLO Diesel Bowzers

ultraflo bluequip FUELCUBE FUELSHOT

ultraflo



E-AF3000

E-AF100000L

Features & Benefits

- Your total refuelling solution in a box
- Built-in nozzle holster with automatic pump stop
- 240V Self Priming Vane Pump with flow rates up to 100L/Min
- Includes 4M x 1" ID Delivery Hose, Automatic Nozzle & 4 Digit Flow Meter
- Wall mount standard

Part No.

Description

E-AF3080	ULTRAFLO 80 240V Bowser without Pedestal - 80L/Min
E-AF3000	ULTRAFLO 100 240V Bowser without Pedestal - 100L/Min
E-AF100000L	ULTRAFLO Bowser Pedestal

MAKING EVERY DROP COUNT



ADBLUE EQUIPMENT & ACCESSORIES





ADBLUE EQUIPMENT & ACCESSORIES

BLUEQUIP Rotary Drum Pump

- Heavy duty polypropylene construction
- 2M of delivery hose & stainless steel spout
- Complete with BLUEQUIP adapter to suit 205L drums
- Ideal for smaller 1-2 vehicle operations



BLUEQUIP IBC Gravity Feed Kit

- Ideal for IBC applications where no electricity or air is available
- 4M of BLUEQUIP delivery hose
- Manual nozzle with swivel
- IBC Adapter Kit to suit standard IBC's



FP-332080

BLUEQUIP Rotary Pump Kit

FP-155170

BLUEQUIP IBC Gravity Feed Kit

BLUEQUIP 240V Transfer Pump

- Flow Rate: up to 40L/Min
- 2M cable
- Reliable Self-Priming Pump
- 3/4" Inlet/Outlet hose tails included



BLUEQUIP 12V Transfer Pump

- Flow Rate: 35L/Min
- 205L & IBC Pump Kit Options Available
- Kits include: Suction Kit, 6m X 3/4" Bluequip Hose & Manual Nozzle



FP-203010

240V Electric Transfer Pump

FP-204000

BLUEQUIP 12V Transfer Pump

BLUEQUIP 240V 1000L IBC Kit

- The most common and sought after system in the market
- Stainless Steel IBC bracket with nozzle holder
- Self priming 35L/Min pump
- Digital flow meter
- 6M x 3/4" ID hose & automatic shut off nozzle
- Bottom suction kit



BLUEQUIP Air Operated IBC Kit

- Most cost effective pump system available for IBC's
- Reliable 2:1 Ratio Pump 40L/Min
- 4M of BLUEQUIP Delivery Hose
- Pump Mount Bracket comes with bottom IBC Suction Kit



FP-201B10

BLUEQUIP 240V 1000L IBC Kit

AE-KP21A

BLUEQUIP IBC Kit, Auto Nozzle

AE-KP21M

BLUEQUIP IBC Kit, Manual Nozzle

**BLUEQUIP
Manual Dispense Gun**

- Easy to use Polypropylene construction Gun
- 1" BSP(f) swivel inlet
- Flow Rate: up to 90L/Min
- Suitable for gravity feed applications



AE-PPM90ADB

BLUEQUIP Manual Dispense Gun

**BLUEQUIP
Auto Nozzles**

- Reliable, light, easy to handle & ergonomic
- Liquid compatible with AdBlue/DEF
- 1" Swivel x 3/4" barb



AE-PAX70ADB

SS Automatic Shut-off Nozzle

AE-PAX70ADBM

SS Automatic Shut-off Nozzle with Magnet

**BLUEQUIP K24 Inline
AdBlue Digital Flow Meter**

- Flow rate: 6-100L/Min
- Face can be rotated 4 ways
- 1" M BSP Inlet/ Outlet c/w socket
- LCD electronic display
- Accuracy +/-1% after calibration



AE-CK24ADPM

K24 Inline Digital Flow Meter

**BLUEQUIP
1000L IBC Cover**

- IBC Cover ideal to protect and reduce impact of direct sunlight on AdBlue IBC's
- Easy to install & remove when required
- 240V Electric Pump Kit can be still mounted on side of IBC



AE-IBCCOVER

1000L IBC Cover

**BLUEQUIP Spring
Retractable Hose Reels**

- Increase operation efficiency, keep hoses maintained and work area clean
- Robust construction
- Fluid path compatible with AdBlue® fluid
- Heavy duty dual pedestal base



AE-VGL1915ADB

Hose Reel 15M x 3/4" ID Hose

AE-VGL1910ADB

Hose Reel 10M x 3/4" ID Hose

**POLYCUBE
AdBlue® Ute Tanks**

- Complete with a Premium 12V 35L/ Min Pump with Battery Cable & Clips, 4M x 3/4" Delivery Hose & Manual Nozzle
- Optional: Flow Meter
- Ideal for back of utes or truck to improve efficiency in refueling your equipment
- Increased thickness of wall makes these POLYCUBE's strong & increases the life span
- Built-in splash proof breather & lockable lid



FC-100LAB

100L AdBlue BlueCube

FC-200LAB

200L AdBlue BlueCube

MAKING EVERY DROP COUNT

A-FLO
EQUIPMENT

AIR & WATER EQUIPMENT





AIR & WATER EQUIPMENT

Industrial Grade Mini Sprayers

- Viton / EPDM Seals
- Heavy duty head and pump
- Automatic safety pressure valve
- Max pressure 1L (44Psi) and 1.5L(58Psi)
- Adjustable nozzles 0.8mm
- Ideal for solvent, brake and parts cleaner, tyre shine and degreaser



AP-3132PK 1L Hand Held Sprayer Bottle

AP-3135PK 1.5L Hand Held Sprayer Bottle

ULTRAFLO Multi-Purpose Rotary

- Flow Rate: up to 20L/Min
- Available in Ryton or Polypropylene construction
- Ryton & Stainless Steel provide excellent chemical compatibility with lacquers, low viscosity chemicals & mild acids
- Polypropylene, Teflon & Stainless Steel offer excellent chemical resistance to herbicides, pesticides chemicals & mild detergents



AP-RP90R ULTRAFLO Ryton Drum Pump – Black

AP-RP90P ULTRAFLO Polypro Drum Pump – Yellow

ULTRAFLO Water Control Valve

- A light weight Control Valve with rigid outlet
- An ideal Hose Reel Water Gun for workshop applications
- The ultimate choice for car and truck dealerships
- Manufactured in Europe



AN-26/CR ULTRAFLO Water Valve with 3/8" Connection

AN-27/CR ULTRAFLO Water Valve with 1/2" Connection

ULTRAFLO Plastic Enclosed Air/Water Reel

- Manufactured in Europe
- Lightweight but robust enclosed casing
- Impact resistant, quality and high performance spring with longevity in mind
- Premium Hose with flexibility for great user experience



AM-8610 Air/Water Reel - 15m x 3/8"

AM-8612 Air/Water Reel - 15m x 1/2"

RAASM 430 Series Air Water Hose Reels

- Can be roof, wall or bench mounted
- Pressure Rating: 20Bar
- Ideal for workshop installations



RA-8430.103 Air Water Reel 10M x 1/2" ID Hose

RA-8430.104 Air Water Reel 15M x 1/2" ID Hose

ULTRAFLO High Visibility Barrier Reels

- Ideal for all workplace safety applications where a strong flexible warning barrier is required to corner off large open areas and provide highly visible safety awareness
- Economical, compact, impact resistant & light weight
- Supplied with Polypropylene Mounting Bracket



P-BRYB15 15M Yellow & Black Webbing

P-BRY15Y 15M Yellow Webbing

MAKING EVERY DROP COUNT

A-FLO
EQUIPMENT

WORKSHOP EQUIPMENT & ACCESSORIES



**ULTRAFLO
Economy Hand
Trolley**

- Enables easy and convenient means moving 20L to 60L drums around a workshop
- Includes two rubber wheels & a drum locking device



AP-1300

Standard Hand Drum Trolley

**ULTRAFLO
Heavy Duty Hand
Trolley**

- Sturdy drum trolley suitable for both oil & grease drum 20L to 60L
- Complete with chain for holding drum in place



AP-1303

Heavy Duty Hand Trolley

**ULTRAFLO Heavy Duty
205L Oil Drum Trolley**

- 3 Wheel low level drum trolley
- Suitable for both oil and grease drums (205L or 180Kg)
- Solid rubber tyres with rear swivel and locking brake
- Chain to secure drum
- Pump or hose reel can be fitted using optional brackets



AP-1305

HD 3 Wheel Drum Trolley

**ULTRAFLO
Drum Dollies**

- Provides effective means of moving drums throughout the workshop
- Industrial quality steel construction with heavy duty casters
- Gives increased mobility and reduces physical effort and drum handling
- OHS friendly



AP-4325

HD 20L - 20kg Drum Dolly

AP-3325

HD 60L - 60kg Drum Dolly

AP-2325

HD 205L - 180kg Drum Dolly

**ULTRAFLO
Spill Pallet**

- Designed for temporary or secondary storage and to improve workplace safety, housekeeping & protection of the environment
- Economical & light-weight but tough & durable
- Convenient as easy forklift access points ensures portability



SC-PSP2

ULTRAFLO Eco Poly 2 Drum Spill Pallet

SC-PSP4

ULTRAFLO Eco Poly 4 Drum Spill Pallet

**ULTRAFLO
IBC Bunded Pallet**

- Cost effective and space saving solution without compromising quality
- Bund capacity: 1300L
- Becoming mandatory to meet workplace standards for storage of IBC's



SC-IBCSP1

ULTRAFLO Eco Poly Single IBC Bunded Pallet

SC-IBCSP2

ULTRAFLO Eco Poly Dual IBC Bunded Pallet

**LOXEAL
Liquid Adhesive**

- Anaerobic adhesive, fast curing, medium strength thread sealant for metal joints
- Replaces PTFE tape & yarn
- Provides instant sealing against low pressure or against high pressure within 1 hour



LX58-10 100 Thread Sealing 100ml

LX58-10 250 Thread Sealing 250ml

**ULTRAFLO
Drum Wrench**

- Bronze alloy drum wrench
- Designed to fit into most 2" & 3/4" drum plugs
- Wrench is hardened and tempered for increased strength
- Compact design for easy storage



AP-2315 ULTRAFLO Drum Wrench

**205L-180kg
Drum Cradle**

- For ease of moving, safe storage and efficient decanting of 205L drums
- Ideal for workshops and other industrial environments
- HD construction with maximum capacity of 495Kg
- Lifting handle also included



AP-7425-2 205L-180kg Drum Cradle

Oil and Fuel Pads

- Perforated along the centre allowing them to be easily divided so you can get the right size pad for the spill and assist in placing in smaller and confined spaces.
- 200GSM (Pack of 200)
- 300GSM (Pack of 100)
- 410 x 460mm



SC-60020P 200GSM Oil & Fuel Pads

SC-50020P 300GSM Oil & Fuel Pads

**E-Sorb Industrial
Oil Absorbent**

- Responsible choice for our environment
- Environmentally friendly
- Non Toxic
- Organic
- Meets EPA Guidelines
- Absorbs Approx. 25L
- Approx. weight 6kg
- Suitable for Land & Water



ES-25 E-Sorb Oil Absorbent

**Z- Sorb Industrial
Oil Absorbent**

- Is an all-natural, environmentally friendly product with no free crystalline silica
- Absorbs most liquids including acids, alkalis, oils, chemicals & petroleum products. Also absorbs vapours & fumes
- Can be used as a sweeping compound, removing traces of oil and chemicals on concrete and asphalt.
- Absorbs Approx. 22L
- Approx. weight 15kg



ZS-22 Z-Sorb 22L Industrial Oil Absorbent

HEAD OFFICE

T +61 3 9281 6200

F +61 3 9281 6250

E sales@aflo.com.au

W www.aflo.com.au

DISTRIBUTED BY:

MAKING EVERY DROP COUNT

